

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Hignw	ay Patrol as soon as all defects are correcte	ea.										
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
	ease make corrections noted below. Don't b											
						District Name						
	02 Big Horn					Spri	ng Creel	k Elementa	ary			
Vehic	le I.D. # (VIN) - Entire Number		Mode	l Year	Licer			Rated Capa				
	1GDHG31U941125513			2004		419			22			
Chas	sis Make			Body Ma	ıke	110	Bus Type	e: (see ? for d				
	GMC					omas	✓ A	_ □ B □ (ŕ	D		
Whee	el Chair Lift Equipped?	Whee	l Chair Li	I ft Equipped		omas						
□ Y			orward		_	le Facing ✓ N	ot Applic	ahla				
	of Fuel:			strict Owne		contractor Owned If co			tor's nam	o is:		
• •		IS DUS	s. 💟 D	Strict Owne	u С	ontractor Owned in co	Jilliacioi ov	viieu, contract	ioi S Haili	e 15.		
✓ G	as 🗌 Diesel 🗌 Other											
					ECTION							
	This	_				GHWAY PATROL	-1					
	Ihis	inspectio			st semes	ster 2nd semes	ster		Δ.			
Page	Items listed in the Standards	Yes	Approv No N		Page	Items listed in	the Standa	rds Ye		pproved NA	Corr	
No.*	for School Buses in Montana	168	**	A COII	No.*	for School Bus			is INO	**	Con	
C17	Identification - front				C34	Belt cutter **** attach				-	-	
C18	Head lamps				C18	Interior lamps						
C10	Color				C18	Ceiling - interior						
C18	Turn signal lamps - front				C21	Seating						
C18	Turn signal lamps - side (post 1987)				C14	Floor						
C18	Red amber signals - front				C9	Aisle					_	
C18	Marker lamps - front				C22	Tools - storage					_	
C18	Windshield				C24	Warring device				$+\!-\!\!-$		
C24 C20	Windshield wipers Exterior mirrors				C13	Warning device Buzzer emergency do	oor			+	-	
C3	Battery				C12	Emergency door	JUI			-	-	
C4	Generator or alternator				C18	Red amber signals -	rear			-	-	
C11	Service door				C18	Turn signal lamps - re				_	+	
C6	Head lamp indicator				C18	Stop lamps						
C6	Horn				C18	Marker lamps - rear						
C20	Interior mirror				C19	Strobe light - rear ***						
C6	Speedometer				C17	Identification - rear					_	
C2	Brakes				C4	Exhaust system (no l	eaks)			$+\!-\!\!-$		
C21	Driver seat belt Steering gear				C5 C7	Fuel tank Tires (2/32" rear - 4/3	2" front mi	0.)		+-	_	
C13	Fire extinguisher (5 lbs)				101	Cleanliness	2 1101111111	1.)		+	+	
C13	First aid kit				C22	Stop arm				+	_	
C13	Body fluids kit				C5	No trailer hitch						
C11	Defroster					Required by forest r	egulation:				-	
C6	Heaters					Shovel (securely fast	ened)					
C20	Wheelchair forward facing (post 1993)					Axe (securely fastene						
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.***								arby drive	•		
On fi	rst inspection, this bus is:				On re	einspection, this bus	is:					
	Approved					Approved						
	Not Approved					Not Approved						
Inspe	cting Patrol Officer:				Inspe	cting Patrol Officer:						
Badge	∍ No	Date			Badge No Date							
Signa	ture of District Official				Date							
									TE	₹-13 Revis	sed 11/04	



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 02 Big Horn **Pryor Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** **1BAANCSH2RF054852** 1994 313 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date

Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District:													
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
	County # and County Name	DIACK OL	it the er	ioi, Or	n may ne		ead it to make the cond	ection.					
OFIC	County # and County Name					DISTIL	a Name						
	02 Big Horn							yor Publ					
Vehic	le I.D. # (VIN) - Entire Number		Mo	odel Ye	ar	Licen	se#		Rated C	apacity	/ ****		
	4UZAAXAK62CJ35054			200	2		446				59		
Chas	sis Make		•	E	Body Mal	ке		Bus Type	: (see ? fo	or defin	ition)		
	Freightliner					The	omas	□ A [⊒в 9	✓ C	\Box D		
Whee	l Chair Lift Equipped?	Whe	el Chai	r Lift E	quipped?		Jilias						
☐ Ye	es 🗹 No		orwar	d Fac	ring	Δiel	e Facing 🗹 N	ot Applica	ahla				
	of Fuel:						ontractor Owned If co			rootor's	nomo	io:	
		15 0	JS. 🔽	DISTIIC	or Owner	C	ontractor Owned II co	Jilliacioi ow	mea, com	iacioi s	Hallie	۵.	
□G	as ☑ Diesel ☐ Other												
						CTION							
	-				_		GHWAY PATROL						
	Inis	inspect			1s	t semes	ter 2nd seme	ster			۸nn	roved	
Page	Items listed in the Standards	Yes	No	roved NA	Corr	Page	Items listed in	the Standar	rds	Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus	ses in Monta	ina			**	
C17	Identification - front					C34	Belt cutter **** attach	ned				<u> </u>	
C18 C10	Head lamps Color					C18	Interior lamps					┼	
C18	Turn signal lamps - front					C21	Ceiling - interior Seating					+	
C18	Turn signal lamps - side (post 1987)					C14	Floor					+	
C18	Red amber signals - front					C9 Aisle							
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows					 	
C24 C20	Windshield wipers Exterior mirrors					C13	Warning device Buzzer emergency de	oor				+	
C3	Battery					C12	Emergency door	001				+	
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear				<u> </u>	
C6	Head lamp indicator Horn				-	C18	Stop lamps					 	
C6 C20	Interior mirror						Marker lamps - rear Strobe light - rear ***					┼──	
C6	Speedometer						Identification - rear					†	
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank					<u> </u>	
C7 C13	Steering gear Fire extinguisher (5 lbs)					C7	Tires (2/32" rear - 4/3 Cleanliness	32" front mir	1.)			┼	
C13	First aid kit					C22	Stop arm					+	
C13	Body fluids kit					C5	No trailer hitch					1	
C11	Defroster						Required by forest i	regulation:					
C6	Heaters						Shovel (securely fast						
*Page ni	Wheelchair forward facing (post 1993) umber reference, Standards for School Buses in N	Montana A	2002 =4	ition\ *	***Bue dei	vers are r	Axe (securely fastene	,	ter attache	d nearby	driver		<u> </u>
	not apply. ***New buses ordered after 08/15/02.**										unven.		
On fi	st inspection, this bus is:					On re	inspection, this bus	is:					
	Approved						Approved	-					
	Not Approved						Not Approved						
Insped	cting Patrol Officer:					Inspec	cting Patrol Officer:						
Badge	No.	Date				Badge No Date							
Signa	ture of District Official					Date							
						1							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.													
Instru	ictions to OPI from School District												
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
OPI County # and County Name							District Name						
0110	odity # and oddity Name					Distri	ot Name						
	02 Big Horn						Pr	yor Publi	ic Scho	ols			
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Ye	ear	Licen			Rated C	Capacity	****		
	1GDL6P1F2MV501743			199			444				71		
Chass	sis Make				Body Mal	ке		Bus Type	: (see ? fo	or defini	tion)		
	GMC					DI	ebird	\square A	□в 9	✓ C	\Box D		
W/hee	l Chair Lift Equipped?	Whe	Al Chair	l ift ⊑	quipped?		EDITU						
☐ Ye	es 🗹 No	L F	orward	d Fa	cing l	_ AisI	e Facing 🔛 N	ot Applica	able				
Туре	of Fuel:	Is B	us: 🗸	Distri	ct Owned	I 🗌 C	ontractor Owned If co	ntractor ow	ned, cont	tractor's	name i	s:	
□G	as ☑ Diesel ☐ Other												
	as 🛂 Diesei 🗆 Othei												
					INSPE	CTION							
		TO	BE FIL	LED	OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is for	:	1s	t semes	ster 🗹 2nd semes	ster					
			Appro	oved							Appı	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		na			**	
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9 Aisle							
C18	Marker lamps - front					C22 Tools - storage			<u> </u>				
C18	Windshield					C24 Windows			<u> </u>				
C24	Windshield wipers					C13 Warning device							
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door					<u> </u>	
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear				<u> </u>	
C6 C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***					├──	
C6	Speedometer					C17	Identification - rear					 	
C2	Brakes					C4	Exhaust system (no le	eaks)				1	
C21	Driver seat belt		1		+	C5	Fuel tank	ouno,			1	 	1
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front min	1.)				
C13	Fire extinguisher (5 lbs)	1			+	1	Cleanliness		/			1	
C13	First aid kit	1	1 1		†	C22	Stop arm						1
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r	egulation:					
C6	Heaters						Shovel (securely faste						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	ed)					
	umber reference, Standards for School Buses in										driver.		
Does r	not apply. *New buses ordered after 08/15/02.*	****Based	l on origin	al capa	acity listed	on the m	anufacturers certification t	ag found insid	de the bus.				
On fir	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
	eting Patrol Officer:												
						Inspecting Patrol Officer:							
Badge	No	Date				Badge No Date							
Signat	ture of District Official					Date							



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BABNCKH36F236691 2006 **TEMP** Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird** American Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No NA Items listed in the Standards Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highw	ay Patrol as soon as all defects are correc	ted.											
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Please make corrections noted below. Don't black out the error, OPI may ne						need to read it to make the correction.							
OPI County # and County Name						Distri	ct Name						
	02 Big Horn						Hai	rdin Pub	lic Sch	ools			
Vehic	le I.D. # (VIN) - Entire Number		Mod	el Ye	ear	Licen		diii i db		Capacity	****	-	
										o ap a o . t y			
	1BABNCKH36F236690			200			TEMP				84		
Chas	sis Make				Body Mak	e		Bus Type	e: (see ? f	or defini	tion)		
	Bluebird					Ame	erican	\Box A	□ B	\square C	✓ D		
Whee	l Chair Lift Equipped?	Whe	el Chair I	Lift E	quipped?								
□ Ye	es 🗹 No		orward	Fa	cina [Δiel	e Facing 🔽 N	ot Applica	ahla				
	of Fuel:									tro otorio	2000		
• •		15 00	JS. 🔽 L	ווופוע	ct Owned		ontractor Owned If co	ontractor ow	viieu, con	liacioi s	Hallie	15.	
G	as 🗹 Diesel 🗌 Other												
					INSPE	CTION							
		TC	BE FILI	LED	OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is for:		1s	t semes	ster 🗹 2nd semes	ster					
			Appro									roved	
Page	Items listed in the Standards	Yes		NA **	Corr	Page	Items listed in t			Yes	No	NA **	Corr
No.*	for School Buses in Montana Identification - front					No.*	for School Bus Belt cutter **** attach		ana				-
C17	Head lamps					C18	Interior lamps	eu				+	-
C10	Color					C18	Ceiling - interior					1	+
C18	Turn signal lamps - front					C21	Seating					1	
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9 Aisle							
C18	Marker lamps - front					C22 Tools - storage							
C18 C24	Windshield winers					C24 Windows				-			
C24	Windshield wipers Exterior mirrors					C13 Warning device C13 Buzzer emergency door			+	+			
C3	Battery					C12 Emergency door			†	1			
C4	Generator or alternator					C18	Red amber signals -	rear				1	
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps					<u> </u>	
C6	Horn					C18	Marker lamps - rear						
C20 C6	Interior mirror Speedometer					C19 C17	Strobe light - rear *** Identification - rear					+	-
C2	Brakes					C4	Exhaust system (no le	eaks)		1		1	+
C21	Driver seat belt					C5	Fuel tank	ouno,					+
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front mir	า.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit Defroster					C5	No trailer hitch Required by forest r	ogulation.					-
C6	Heaters						Shovel (securely faste					1	+
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,				1	+
*Page n	umber reference, Standards for School Buses in not apply. ***New buses ordered after 08/15/02.**										driver.		
On fi	st inspection, this bus is:					On re	inspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	eting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge		Date				Badge No Date							
Signa	ture of District Official					Date							
											TR-1	3 Revis	ed 11/04



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GBJG31F221213960 2002 2474 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GDL6P1F1MV501281 1990 H486 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAAECRHXKEO83009 1988 H734 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Defroster

Wheelchair forward facing (post 1993)

Heaters

C11

C6

C20

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # X1GK7T1J1VJ114855 1998 61 66 Bus Type: (see ? for definition) Chassis Make Body Make ПА \square B ✓ C \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 C19 Strobe light - rear *** Interior mirror C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm C13 Body fluids kit C5 No trailer hitch

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.

Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:		
Approved		Approved		
Not Approved		Not Approved		
Inspecting Patrol Officer:		Inspecting Patrol Officer:		
Badge No Date		Badge No Date		
Signature of District Official		Date		

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** XXXXXXXXXXXXX6962 1992 F522 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highw	ay Patrol as soon as all defects are correct	ed.	20 .0	,						. сор с	o.ca 5,		
Instructions to OPI from School District:													
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Please make corrections noted below. Don't black out the error, OPI may net					ead it to make the correct	ection.							
OPI County # and County Name				DISTI									
	02 Big Horn							<u>rdin Publ</u>					
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ear	Licen	se #		Rated C	apacity	, ****		
	1T88U3C2841143332			200	04		2477				84		
Chas	sis Make				Body Mal	ке		Bus Type:	(see ? fo	or defin	tion)		
	Thomas					0	ther	\Box A	☐ B [□с	✓ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?								
☐ Y	es 🗹 No	│□F	orward	d Fa	cina [Aisl	e Facing 🗹 N	ot Applica	ıble				
	of Fuel:						ontractor Owned If co			ractor's	name	s:	
□G									ŕ				
	as Diesei Citiei												
		т/	DE EII	I ED		CTION	GHWAY PATROL						
	This		ion is for		_	t semes		ster					
	11110	шороос	Appr			. 0011100	2110 0011100	3.0.			Арр	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			Yes	No	NA **	Corr
No.*	for School Buses in Montana Identification - front					No.*	for School Bus Belt cutter **** attach		na				
C18	Head lamps					C18	Interior lamps	cu					
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13 Warning device							
C20	Exterior mirrors				-	C13 Buzzer emergency door C12 Emergency door							
C3 C4	Battery Congretor or alternator				_	C12 Emergency door C18 Red amber signals - rear							
C11	Generator or alternator Service door				+	C18	Turn signal lamps - re						
C6	Head lamp indicator				+	C18	Stop lamps	Jai					
C6	Horn						Marker lamps - rear						
C20	Interior mirror						Strobe light - rear ***						
C6	Speedometer						Identification - rear						
C2	Brakes					C4	Exhaust system (no le	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front min	.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit				-	C5	No trailer hitch						
C11 C6	Defroster Heaters				+		Required by forest r Shovel (securely faste	_					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene						
	umber reference, Standards for School Buses in N	/lontana	(2002 Edit	tion).	****Bus dri	vers are r	, ,	,	ter attache	d nearby	driver.		
	not apply. ***New buses ordered after 08/15/02.**												
On fi	rst inspection, this bus is:					On re	inspection, this bus	is:					
Approved				•									
☐ Not Approved ☐ Not Approve				Not Approved									
Inspecting Patrol Officer: Inspecti			cting Patrol Officer:										
Badge	No.	Date				Badge	e No.			Date			
	ture of District Official	_				Date				_			
•													
											TR-1	3 Revise	ed 11/04



C20

C13

C13

C11

C6

C20

C6

Interior mirror

Speedometer

Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

Brakes

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDL6P1FOMV501756 1991 F844 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в \Box C **✓** D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ☐ Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C18 C6 Marker lamps - rear Horn

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

C19

C17

C22

C5

C4

Strobe light - rear ***

Exhaust system (no leaks)

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)

Identification - rear

Fuel tank

Stop arm
No trailer hitch

Cleanliness



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDL6PIF4MV501758 1991 F843 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird GMC** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** XXXXXXXXXXXXX4468 2002 2474 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No NA Page Items listed in the Standards Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1HVBBPLP5NH452808 1992 525 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird** International Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date

Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1HVBBPLPXNH452805 1992 F526 65 Bus Type: (see ? for definition) Chassis Make Body Make □В ПА ✓ C \Box D International **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ☐ Gas ☐ Diesel ✓ Other **Ron Johnson** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for:

Approved								App	roved		
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attached				
C18	Head lamps					C18	Interior lamps				
C10	Color					C18	Ceiling - interior				
C18	Turn signal lamps - front					C21	Seating				
C18	Turn signal lamps - side (post 1987)					C14	Floor				
C18	Red amber signals - front					C9	Aisle				
C18	Marker lamps - front					C22	Tools - storage				
C18	Windshield					C24	Windows				
C24	Windshield wipers					C13	Warning device				
C20	Exterior mirrors					C13	Buzzer emergency door				
C3	Battery					C12	Emergency door				
C4	Generator or alternator					C18	Red amber signals - rear				
C11	Service door					C18	Turn signal lamps - rear				
C6	Head lamp indicator					C18	Stop lamps				
C6	Horn					C18	Marker lamps - rear				
C20	Interior mirror					C19	Strobe light - rear ***				
C6	Speedometer					C17	Identification - rear				
C2	Brakes					C4	Exhaust system (no leaks)				
C21	Driver seat belt					C5	Fuel tank				
C7	Steering gear					C7	Tires (2/32" rear - 4/32" front min.)				
C13	Fire extinguisher (5 lbs)						Cleanliness				
C13	First aid kit					C22	Stop arm				
C13	Body fluids kit					C5	No trailer hitch				
C11	Defroster						Required by forest regulation:				
C6	Heaters						Shovel (securely fastened)				
C20	Wheelchair forward facing (post 1993)						Axe (securely fastened)				

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver. **Does not apply. ***New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:		
Approved		Approved		
Not Approved		☐ Not Approved		
Inspecting Patrol Officer:		Inspecting Patrol Officer:		
Badge No.	Date	Badge No.	Date	
Signature of District Official		Date		



Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

On first inspection, this hus is

First aid kit

Defroster

Heaters

C13

C13

C11

C6

C20

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1HVBBPLPINH452806 1992 F523 Bus Type: (see ? for definition) Chassis Make Body Make ПА ПВ ✓ C \Box D **Bluebird** International Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C6 Head lamp indicator C18 Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On mot mopeotion, this bus is:		On remopeotion, this bus is:			
Approved		Approved			
Not Approved		Not Approved			
Inspecting Patrol Officer:		Inspecting Patrol Officer:			
Badge No Date		Badge No.	Date		

Date

C22

C5

Fuel tank

Cleanliness

Stop arm
No trailer hitch

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)

On rainspaction this hus is

Signature of District Official

TR-13 Revised 11/04



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAANCPA72F203270 2002 2442 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1BAAHCSHITF068191 1996 458 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ☐ Forward Facing ✓ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Items listed in the Standards NΑ Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.												
Instructions to OPI from School District:												
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
Please make corrections noted below. Don't black out the error, OPI may no				ed to read it to make the correction.								
OPI County # and County Name				Distri	ct Name							
	02 Big Horn						На	rdin Public S	Schools			
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ear	Licen	se#	Rat	ed Capacity	/ ****		
	1HVBBPLP5NH452811			199	12		524			65		
Chas	sis Make				Body Mak	L Ce	324	Bus Type: (see ? for definition)				
Onao					ouy mar			•••				
	International						<u>iebird</u>	□ A □ B	✓ C	∐ D		
Whee	el Chair Lift Equipped?	Whe	el Chai	r Lift E	quipped?	,						
☐ Y	es 🗹 No	□ F	orwar	d Fad	cing [Aisl	e Facing 🛮 🗹 N	ot Applicable				
Туре	of Fuel:	Is B	us:	Distri	ct Owned	l ✔ C	ontractor Owned If co	ontractor owned,	contractor's	name	is:	
□G	as ☑ Diesel ☐ Other						Dan Jahn					
							Ron John	ISON				
		T	DE EII	LIED		CTION	GHWAY PATROL					
	This	inspect				t semes		eter				
	11115	ilispeci		roved	15	i semes	ster V Znu seme	Stei		App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in	the Standards	Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus				**	
C17	Identification - front					C34	Belt cutter **** attach	ed			<u> </u>	
C18	Head lamps	1				C18	Interior lamps				₩	
C10	Color			1		C18 C21	Ceiling - interior			+	+	
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)	1				C14	Seating Floor			+	+	
C18	Red amber signals - front					C9	Aisle			+	+	
C18	Marker lamps - front					C22	Tools - storage			+	+	
C18	Windshield					C24	Windows			1		
C24	Windshield wipers					C13	Warning device			1		
C20	Exterior mirrors					C13	Buzzer emergency de	oor				
C3	Battery					C12	Emergency door					
C4	Generator or alternator					C18	Red amber signals -				—	
C11	Service door					C18	Turn signal lamps - re	ear		₩	┼	
C6 C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear			 	+	
C20	Interior mirror					C19	Strobe light - rear ***			+	+	
C6	Speedometer					C17	Identification - rear			+	+	
C2	Brakes					C4	Exhaust system (no l	eaks)		1		
C21	Driver seat belt					C5	Fuel tank	,		1		
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.)				
C13	Fire extinguisher (5 lbs)					_	Cleanliness			<u> </u>		
C13	First aid kit					C22	Stop arm			<u> </u>		
C13	Body fluids kit			1		C5	No trailer hitch	a audatia a		+	+	
C6	Defroster Heaters						Required by forest r Shovel (securely fast	_		+	+-	
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,		1	+	
*Page n	umber reference, Standards for School Buses in I						equired to wear lap/shoul	der belts - cutter att		driver.		1
	not apply. ***New buses ordered after 08/15/02.*											
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:				
	Approved						Approved					
Not Approved				Not Approved								
Inspecting Patrol Officer:				Inspe	cting Patrol Officer:							
Badge No. Date E				Badge	e No.		Date					
	ture of District Official					Date						
3												



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GDL6PIFXMV501649 1991 E215 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird GMC** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GDL6P1F5MB501770 1991 E214 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird GMC** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas Diesel ✓ Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

School Year 2006 Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GDL6PIF6M7501647 1991 E213 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird GMC** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1BABMBXA5LF038102 1990 C917 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D Other **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highwa	Highway Patrol as soon as all defects are corrected.												
Instru	ctions to OPI from School District												
Thi	s bus has been sold, retired, or is no longe	r in serv	ice. Ple	ase c	lelete it fr	om OPI	's records.						
☐ Ple	ase make corrections noted below. Don't	black ou	ut the err	or, O	PI may ne	eed to re	ead it to make the corr	ection.					
OPI County # and County Name						District Name							
										_			
	02 Big Horn							rdin Pub					
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Ye	ear	Licen	se #		Rated C	Capacity	, ****		
	4DRGSCNN1PA058472			199	33		321				71		
Chass	sis Make				Body Mal	ке	021	Bus Type	: (see ? f	or defini			
					,			• •	•		,		
	Other						ther	□ A [В	С	✓ D		
Whee	l Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?	•							
☐ Ye	es 🗹 No	□ F	orward	d Fa	cing	☐ Aisl	e Facing 🗹 N	ot Applica	able				
Type	of Fuel:				ct Owned		ontractor Owned If co			tractor's	name i	s:	
			uo. 💽	2.0								·	
	as 🗹 Diesel 🗌 Other												
					INSPE	CTION							
		TO	BE FIL	.LED	OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is for	:	1s	t semes	ster 🗹 2nd semes	ster					
			Appro	oved							App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			Yes	No	NA **	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		ina			**	
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps			1		—	
C10	Color					C18 C21	Ceiling - interior						
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)					C21	Seating Floor			1		┼──	
C18	Red amber signals - front					C9	Aisle					+	
C18	Marker lamps - front					C22 Tools - storage							
C18	Windshield					C24 Windows				† 			
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear				<u> </u>	
C6	Head lamp indicator					C18	Stop lamps						
C6 C20	Horn	1				C18	Marker lamps - rear Strobe light - rear ***			<u> </u>		—	
C20	Interior mirror Speedometer					C19 C17	Identification - rear					┼	
C2	Brakes					C4	Exhaust system (no l	eaks)				+	
C21	Driver seat belt					C5	Fuel tank	cano		1		+	
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front mir	າ.)	1		† 	
C13	Fire extinguisher (5 lbs)						Cleanliness		,				
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r	egulation:					
C6	Heaters						Shovel (securely fast					—	
	Wheelchair forward facing (post 1993)		(0000 F II		++++D 1.		Axe (securely fastene	,		<u> </u>	<u> </u>	<u> </u>	
	umber reference, Standards for School Buses in lot apply. ***New buses ordered after 08/15/02.*										arıver.		
		24000	. o og	a. oap	aony notou				40 11.0 240.	•			
	st inspection, this bus is:						einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	ting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	No	Date				Badge	e No.			Date			
	ure of District Official				-	Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** XXXXXXXXXXXX9503 1985 C910 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird** Chevrolet Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is:

Approved
Not Approved
Not Approved
Inspecting Patrol Officer:

Badge No.

Date

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** XXXXXXXXXXXXXX346 1996 337 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D Other **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No NA Page Items listed in the Standards Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Hignw	ay Patrol as soon as all defects are correcte	ea.											
	actions to OPI from School District: s bus has been sold, retired, or is no longer	in servi	ce. Pleas	se delete it	from OPI	's records.							
Please make corrections noted below. Don't black out the error, OPI may n													
	County # and County Name	naon out	1110 01101	, or rmay	District Name								
02 Big Horn					Hardin Public Schools								
Vehic	le I.D. # (VIN) - Entire Number		Mode	l Year	Licer	ise #		Rated Capacity	/ ****				
	14VBBAAP8X4207357			1999		414			65				
Chas	sis Make			Body Ma	ake		Bus Type	e: (see ? for defin					
	International					ther	\Box A	□В ∨ С	□ D				
Whee	el Chair Lift Equipped?	Whee	el Chair Li	t Equipped		tilei							
□ Y	es ☑ No	l □ F	orward	Facing	Δis	le Facing ✓ N	ot Applic	ahle					
	of Fuel:			strict Owne		contractor Owned If co			name	is.			
		15 54	J. 💽 D	Striot Own	0	ontractor Owned in co	ontractor ov	viica, contractor	riairio	10.			
□G	as 🗹 Diesel 🗌 Other												
			55 50 1		ECTION								
	Thio	inspection		_	st semes	GHWAY PATROL ster	otor						
	11115	irispeciic	Approv		St Seille:	ster 💌 Zna seme:	stei		Ann	roved			
Page	Items listed in the Standards	Yes		A Corr	Page	Items listed in	the Standa	rds Yes	No	NA	Corr		
No.*	for School Buses in Montana		**		No.*	for School Bus				**			
C17	Identification - front				C34	Belt cutter **** attach	ed						
C18	Head lamps				C18	Interior lamps							
C10	Color				C18	Ceiling - interior					_		
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)				C21	Seating Floor					_		
C18	Red amber signals - front				C14	Aisle					+		
C18	Marker lamps - front		+		C22	Tools - storage				+	+		
C18	Windshield				C24	Windows					+		
C24	Windshield wipers				C13	Warning device							
C20	Exterior mirrors				C13	Buzzer emergency do	oor						
C3	Battery				C12	Emergency door							
C4	Generator or alternator				C18	Red amber signals -				-	_		
C11	Service door				C18	Turn signal lamps - re	ear			-	_		
C6 C6	Head lamp indicator Horn				C18	Stop lamps Marker lamps - rear					+		
C20	Interior mirror		+		C19	Strobe light - rear ***					+		
C6	Speedometer				C17	Identification - rear					+		
C2	Brakes				C4	Exhaust system (no l	eaks)						
C21	Driver seat belt				C5	Fuel tank							
C7	Steering gear				C7	Tires (2/32" rear - 4/3	32" front mi	n.)	1	1	+		
C13	Fire extinguisher (5 lbs)				C22	Cleanliness					_		
C13	First aid kit Body fluids kit		+		C22	Stop arm No trailer hitch		+		1	+		
C11	Defroster				- 00	Required by forest r	egulation:	:			+		
C6	Heaters					Shovel (securely fast							
C20	Wheelchair forward facing (post 1993)					Axe (securely fastene							
	umber reference, Standards for School Buses in M not apply. ***New buses ordered after 08/15/02.***								/ driver.				
On fi	rst inspection, this bus is:				On re	einspection, this bus	is:						
	Approved					Approved							
	Not Approved					Not Approved							
Inspecting Patrol Officer:			Inspe	cting Patrol Officer:									
Badge	• No	Date			Badg	e No		Date _					
Signa	ture of District Official				Date								
									TR-	13 Revis	sed 11/04		



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1FDPB80C5SVA27844 1995 325 Bus Type: (see ? for definition) Chassis Make Body Make ПА ПВ ✓ C \Box D Ford **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** XXXXXXXXXXXXX4451 1991 C918 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D Other **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1BABMBBA6MF044452 1991 C919 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D Other **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
	ase make corrections noted below. Don't County # and County Name	black ou	ut the err	or, OF	Pl may ne	eed to read it to make the correction. District Name							
Oire	,												
	02 Big Horn			1 137				rdin Pub			4444		
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ear	Licen	se #		Rated C	Capacity	, ****		
	1BAANCSH7TF067345			199	96		336				84		
Chas	sis Make		-	E	Body Mal	е		Bus Type	e: (see ? f	or defini	tion)		
	Bluebird					0	ther	\square A	□ B [□с	✓ D		
Whee	l Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?		tiici						
□ Ye							o Fooing	ot Applia	abla				
			orwar					ot Applic					
• •	of Fuel:	IS B	us: 🗸	Distri	ct Owned		ontractor Owned If co	ontractor ov	vned, con	tractor's	name	IS:	
G □	as 🗹 Diesel 🗌 Other												
					INSPE	CTION							
		TO	BE FIL	.LED	OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is fo	r:	1s	t semes	ster 2nd seme	ster					
			Appr		1_	_						roved	1-
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach		ana				
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						-
C18 C24	Windshield Windshield wipers					C24 C13	Windows Warning device						+
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6 C20	Horn Interior mirror					C18 C19	Marker lamps - rear Strobe light - rear ***						
C20	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank	,					
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mii	n.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm No trailer hitch						-
C13	Body fluids kit Defroster					C5	Required by forest r	equiation:					+
C6	Heaters						Shovel (securely fast						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene						
*Page n	umber reference, Standards for School Buses in out apply. ***New buses ordered after 08/15/02.**										driver.	-	•
On fi	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	No.	Date				Badge	e No.			Date			
	ture of District Official					Date							
Oigila	a. O o. District Official					Date							



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** **1BANNCSH6TF070169** 1996 334 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D Other **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date



Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

C13

C13

C11

C6

C20

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GBJ6P1B6JV111138 1988 H367 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в ✓ C \Box D Ward Chevrolet Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page Items listed in the Standards Items listed in the Standards No Yes No NA Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On macinapection, this bus is.		On remspection, this bus is.	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

C22

C5

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)

Cleanliness

Stop arm
No trailer hitch

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Hardin Public Schools** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1BAB1CXA7FG073857 1986 **B78** Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D Other **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Ron Johnson INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Signature of District Official

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Lodge Grass Public Schls** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # XXXXXXXXXXXX9133 1993 **TD66** Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Carter Miklovich INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.

Date



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Lodge Grass Public Schls** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1BAANC5HIRF059993** 1994 C238 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Nancy Mullenberg** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 Defroster C11 Required by forest regulation: C6 Heaters Shovel (securely fastened) Axe (securely fastened) C20 Wheelchair forward facing (post 1993)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
			_
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Lodge Grass Public Schls** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # XXXXXXXXXXXXX1536 2002 C329 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **Bluebird** Chevrolet Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Schender Lines Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is:

On first inspection, this bus is:

Approved
Not Approved
Inspecting Patrol Officer:

Badge No.

Date

Date

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highway Patrol as soon as all defects are corrected.													
	Instructions to OPI from School District:												
☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. ☐ Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
	County # and County Name	JIACK OU	t trie en	oi, Or	Tillay III	District Name							
	02 Big Horn					Lodge Grass Public Schls							
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ar	Licen		Je Grass	Rated C				
	, ,												
01	XX2GBHG31M4G46369			198			C568	Dua Tura	. /222 2 f	or dofin	22		
Chass	sis Make				Body Mal	е			e: (see ? fo				
	Chevrolet					0	ther	✓ A	□В	_ c	\sqcup D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?	1							
□ Ye	es 🗹 No	□F	orwar	d Fac	ing [☐ Aisl	e Facing 🗹 N	ot Applica	able				
Type	of Fuel:						ontractor Owned If co			tractor's	name	is:	
✓ G									·				
<u> </u>	as Diesei Dittei						Catherine Mc	Dougall					
		т.	. DE EU			CTION	OLUMAN DATEO						
	Thio					t semes	GHWAY PATROL ter ✓ 2nd seme:	oto."					
	Inis	inspecti		r: oved	TS	t semes	ter 💌 zna seme	ster			Δnn	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in	the Standa	rds	Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus	es in Monta	ana			**	
C17	Identification - front						Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color				1	C18 Ceiling - interior					-	-	
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)					C21 C14	<u> </u>						
C18	Red amber signals - front				1	C14					1	 	
C18	Marker lamps - front					C22					1		
C18	Windshield					C24	ū				1		
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator						Stop lamps						
C6	Horn				-		Marker lamps - rear Strobe light - rear ***				<u> </u>		
C20 C6	Interior mirror Speedometer				1		Identification - rear				 	-	1
C2	Brakes					C4	Exhaust system (no l	eaks)			1		
C21	Driver seat belt					C5	Fuel tank	ouno,					
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	า.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r						
C6	Heaters				-		Shovel (securely fast				<u> </u>		
*Page ni	Wheelchair forward facing (post 1993) umber reference, Standards for School Buses in N	Iontana (2002 Fdi	tion) *	***Bus driv	ers are r	Axe (securely fastene		tter attache	d nearby	driver		
	not apply. ***New buses ordered after 08/15/02.**										dilvei.		
On fi	st inspection, this bus is:					On ro	inspection, this bus	is:					
	Approved						Approved						
Not Approved				Not Approved									
Inspec	cting Patrol Officer:					Inspec	cting Patrol Officer:						
Badge	· ·	Date				Badge No. Date							
	ture of District Official					Date							
oigiidi	are of District Official					Date							



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Lodge Grass Public Schls** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # XXXXXXXXXXXXX7075 1981 **TD75** Bus Type: (see ? for definition) Chassis Make Body Make **✓** B ПА \Box C Ward **GMC** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other Carter Miklovich INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04

Date



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District:													
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
☐ Please make corrections noted below. Don't black out the error, OPI may need							ead it to make the corr	ection.					
OPI C	ounty # and County Name					District Name							
	•												
	02 Big Horn							je Grass	<u>Public</u>	Schis	i		
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ar	Licen	se#		Rated C	Capacity	, ****		
XXXXXXXXXXXXX8946 1992			12		C328				21				
Chass	sis Make				Body Mal	(e	0020	Bus Type:	(see ? f	or defini			
0				-	ou, ma				•				
	Chevrolet						ebird	□ A b	∠ B	□с	∐ D		
Whee	l Chair Lift Equipped?	Whe	el Chai	Lift E	quipped?	•							
☐ Ye	es 🗹 No		orwar	d Fac	cina [Aisl	e Facing 🗹 N	ot Applica	able				
	of Fuel:	Is B					ontractor Owned If co			tractor's	name	is.	
		10 0	uo	Diotino	or Owned	. 👿 🔾	ontractor Owned in co	miliaotoi ow	nou, con	tractor 5	riamo	J.	
	as 🗹 Diesel 🗌 Other						Schender Lir	nes Inc.					
					INSPE	CTION							
		TO	BE FII	LED			GHWAY PATROL						
	This	inspect	ion is fo	r:	☐ 1s	t semes	ster 🗸 2nd semes	ster					
		•		oved							App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in	the Standar	ds	Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		na			**	
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps					↓	
C10	Color					C18	Ceiling - interior					<u> </u>	
C18	Turn signal lamps - front	 				C21 Seating				<u> </u>		—	
C18	Turn signal lamps - side (post 1987) Red amber signals - front					C14 Floor						┼──	
C18	Marker lamps - front	1				C9 Aisle C22 Tools - storage				1		+	
C18	Windshield					C24	Windows					+	
C24	Windshield wipers					C13	Warning device					+	
C20	Exterior mirrors	†				C13	Buzzer emergency do	oor		1		†	
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear				1	
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***					↓	
C6	Speedometer					C17	Identification - rear					↓	
C2	Brakes	1				C4	Exhaust system (no l	eaks)		<u> </u>		├	
C21	Driver seat belt Steering gear	+			-	C5 C7	Fuel tank Tires (2/32" rear - 4/3	2" front min	1	-		+	1
C13	Fire extinguisher (5 lbs)					O1	Cleanliness	L HOHE HILL	•)			+-	1
C13	First aid kit	+				C22	Stop arm			+		+	
C13	Body fluids kit					C5	No trailer hitch					+	
C11	Defroster						Required by forest r	egulation:				†	
C6	Heaters						Shovel (securely fast	_				1	
	Wheelchair forward facing (post 1993)						Axe (securely fastene						
	umber reference, Standards for School Buses in I										driver.		
Does r	ot apply. *New buses ordered after 08/15/02.**	****Based	d on origir	nal capa	city listed	on the m	anufacturers certification t	ag found insid	de the bus				
On fir	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	ting Patrol Officer:					Inspe	cting Patrol Officer:						
D. I	N-	D-r/:								D-4:			
Badge		Date				Badge	€ NO.			Date			
Signat	ure of District Official					Date							



Approved

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Lodge Grass Public Schls** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # XXXXXXXXXXXXXX0531 1998 C331 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Schender Lines Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is:

Not Approved

Inspecting Patrol Officer:
Inspecting Patrol Officer:

Badge No.
Date

Signature of District Official
Date

TR-13 Revised 11/04

Approved



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

	ay Patrol as soon as all defects are correct		M1 20-10-	101, 1	VICA. AI	verlicie	s not approved on his	i inspection musi	be remspe	cied by	uie		
Instru	ctions to OPI from School District:												
	s bus has been sold, retired, or is no longe		ice. Ple	ase d	elete it fr	om OPI	's records.						
☐ Ple	ase make corrections noted below. Don't	black ou	ut the err	or, OF	PI may n	eed to re	ead it to make the corr	ection.					
OPI C	County # and County Name					District Name							
	02 Dia Harr												
Vohio	02 Big Horn le I.D. # (VIN) - Entire Number		Mo	del Ye	or	Licen		ge Grass Pub	ed Capacity				
venic	ie i.D. # (VIIV) - Elitlie Nullibei		IVIO	uerre	aı	Licen	Se #	Kai	eu Capacity	′			
	3012			199	7		C248			84			
Chass	sis Make			E	Body Mal	ке		Bus Type: (see	e? for defin	ition)			
	Other					Rlu	ebird	□А□В	\Box C	✓ D			
Whee	Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?		Cond						
□ Ye	_ `						o Fooing	at Applicable					
		-	orwar				<u>~</u>	ot Applicable					
туре	of Fuel:	Is B	us:	Distric	ct Owned		ontractor Owned If co	ontractor owned,	contractor's	name	IS:		
\Box G	as 🗹 Diesel 🗌 Other						Judy Mulle	nberg					
					INSPE	CTION	-	-					
		TC	BE FIL	LED (_		GHWAY PATROL						
	This	inspect	ion is fo	r:	1s	t semes	ster 🗹 2nd seme	ster					
			Appr	oved						Арр	roved		
Page	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page	Items listed in for School Bus		Yes	No	NA **	Corr	
No.*	Identification - front					No.*	Belt cutter **** attach						
C18	Head lamps					C18	Interior lamps	leu					
C10	Color					C18	Ceiling - interior					1	
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	14 Floor						
C18	Red amber signals - front					C9							
C18	Marker lamps - front					C22	Ü						
C18	Windshield winers					C24						1	
C24 C20	Windshield wipers Exterior mirrors					C13	Warning device Buzzer emergency de	oor	-			+	
C3	Battery					C12	Emergency door	001					
C4	Generator or alternator					C18	Red amber signals -	rear				1	
C11	Service door					C18	Turn signal lamps - re						
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear	!				-	
C2 C21	Brakes Driver seat belt					C4 C5	Exhaust system (no l Fuel tank	eaks)				+	
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.)	-			+	
C13	Fire extinguisher (5 lbs)	1			†	† ·	Cleanliness			<u> </u>	1	1	
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest i						
C6	Heaters						Shovel (securely fast						
C20	Wheelchair forward facing (post 1993) umber reference, Standards for School Buses in N	Aontono :	(2002 545	tion\ *	***Duc d-:	vore ere	Axe (securely fastene	,	achod pasti:	driver		1	
	umber reference, Standards for School Buses in I lot apply. ***New buses ordered after 08/15/02.**									unver.			
				·									
	st inspection, this bus is: Approved						einspection, this bus Approved	13.					
	Not Approved						Not Approved						
	eting Patrol Officer:						cting Patrol Officer:						
-							_						
Badge		Date					e No		Date				
Signature of District Official Da					Date								



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Lodge Grass Public Schls** 02 Big Horn Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # XXXXXXXXXXXXX6293 1999 C332 Bus Type: (see ? for definition) Chassis Make Body Make ✓ A □ B □ C \Box D **Bluebird** Chevrolet Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other Schender Lines Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04

Date



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highway Patrol as soon as all defects are corrected.													
	uctions to OPI from School District:		: DI		1-4- :4 6-	OD!	15 us saude					•	
	s bus has been sold, retired, or is no longe												
	County # and County Name	black ou	t the er	ror, OP	i may ne	eed to read it to make the correction. District Name							
	02 Big Horn					Wyola Elementary							
Vehic	tle I.D. # (VIN) - Entire Number		Мс	del Yea	ar	Licen		vyola El		Capacity	, ****		
	, ,				_					, ,			
Ohaa	1BABNBKA15F223349			200			494	Bus Type	. (000 2	for defin	88		
Cnas	sis Make			l B	ody Mal	ке			,		,		
	Bluebird					Blu	ebird	\square A	□В	✓ C	\Box D		
Whee	el Chair Lift Equipped?	Wheel Chair Lift Equipped?			1								
□ Y	es 🗹 No	I□F	orwar	d Faci	ina	☐ Aisl	e Facing 🔽 N	lot Applica	able				
Type	of Fuel:				Owned		ontractor Owned If c			ntractor's	name	is:	
			_						,				
□G	as 🗹 Diesel 🗌 Other												
						CTION							
		_					GHWAY PATROL						
	This	inspecti			1s	t semes	ster 2nd seme	ster					
_		Tv.		roved	I o	l n	I 10 12 12			Tv.		roved	Т
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front	1				C34	Belt cutter **** attach		ana -			+	+
C18	Head lamps					C18	Interior lamps	iou				+	1
C10	Color	†				C18	Ceiling - interior					†	1
C18	Turn signal lamps - front					C21							1
C18	Turn signal lamps - side (post 1987)					C14	Floor						1
C18	Red amber signals - front					C9	Aisle						1
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency d	oor				Ь	
C3	Battery					C12	Emergency door						_
C4	Generator or alternator	1				C18	Red amber signals -					├	-
C11	Service door					C18 C18	Turn signal lamps - r	ear				 	+
C6 C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear					┼──	+
C20	Interior mirror	1				C19	Strobe light - rear ***					┼──	+
C6	Speedometer	 				C17	Identification - rear					+	+
C2	Brakes	1				C4	Exhaust system (no	leaks)		1		+-	1
C21	Driver seat belt	1				C5	Fuel tank					†	1
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	า.)				1
C13	Fire extinguisher (5 lbs)						Cleanliness						1
C13	First aid kit					C22	Stop arm						Ī
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest						
C6	Heaters						Shovel (securely fast	,				$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	
C20	Wheelchair forward facing (post 1993)			<u> </u>			Axe (securely fasten				<u> </u>	<u> </u>	
	umber reference, Standards for School Buses in I not apply. ***New buses ordered after 08/15/02.**										driver.		
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved	e-					
Not Approved							Not Approved						

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.																
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.																
	Please make corrections noted below. Don't black out the error, OPI may n															
OPI C	County # and County Name					District Name										
02 Big Horn						Wyola Elementary										
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ear	Licen	se#		Rated C	Capacity	*****					
	0669			198	R/I		237				53					
Chas	sis Make		<u> </u>		Body Mal	(e	231	Bus Type	: (see ? fo	or defini	r definition)					
					,						☐ D					
\A/I ₂	Ford	10/1	- 1 01 :-	1.77			/ard	□A	D [<u>v</u>	⊔ ∪					
	el Chair Lift Equipped?				quipped?	_	_									
☐ Ye	es 🗹 No	F	orwar	d Fad	cing	Aisl	e Facing 🔛 N	ot Applica	able							
Type	of Fuel:	Is B	us: 🗸	Distri	ct Owned	I 🗌 C	ontractor Owned If co	ontractor ow	vned, cont	tractor's	name	s:				
✓ G	as \square Diesel \square Other															
					_	CTION										
	-						GHWAY PATROL									
	I his	sinspect	tion is fo	r: oved	1s	t semes	ster 2nd seme	ster			Δnn	roved				
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			Yes	No	NA	Corr			
No.*	for School Buses in Montana			**		No.*	for School Bus		ana			**	╀			
C17	Identification - front	1				C34	Belt cutter **** attach	ied				₩	+			
C18 C10	Head lamps Color					C18	Interior lamps Ceiling - interior					\vdash	+			
C18	Turn signal lamps - front					C21	Seating					+	+			
C18	Turn signal lamps - side (post 1987)					C14	Floor					+	+			
C18	Red amber signals - front					C9	Aisle						+			
C18	Marker lamps - front					C22 Tools - storage										
C18	Windshield					C24	Windows									
C24	Windshield wipers					C13 Warning device										
C20	Exterior mirrors					C13	Buzzer emergency de	oor				Ь—				
C3	Battery					C12	Emergency door					Ь—				
C4 C11	Generator or alternator Service door					C18	Red amber signals - Turn signal lamps - re					├	_			
C6	Head lamp indicator					C18	Stop lamps	cai				+	+			
C6	Horn					C18	Marker lamps - rear					 	+			
C20	Interior mirror					C19	Strobe light - rear ***					†				
C6	Speedometer					C17	Identification - rear									
C2	Brakes					C4	Exhaust system (no l	eaks)								
C21	Driver seat belt					C5	Fuel tank					Ļ	╀			
C7	Steering gear	1				C7	Tires (2/32" rear - 4/3	32" front mir	า.)			┼	 			
C13	Fire extinguisher (5 lbs) First aid kit	+				C22	Cleanliness Stop arm					+-	+			
C13	Body fluids kit					C5	No trailer hitch					+-	+			
C11	Defroster						Required by forest r	regulation:				 	+			
C6	Heaters						Shovel (securely fast	ened)								
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,								
	umber reference, Standards for School Buses in not apply. ***New buses ordered after 08/15/02.*										driver.					
On fi	st inspection, this bus is:					On re	einspection, this bus	is:								
	Approved						Approved									
	Not Approved						Not Approved									
Inspe	eting Patrol Officer:					Inspe	cting Patrol Officer:									
Badge	No	Date				Badge	e No.			Date						
Signa	ture of District Official					Date										



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.														
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.														
_ ☐ Ple	ase make corrections noted below. Don't	black o	ut the err	or, O	PI may ne	eed to re	ead it to make the corr	ection.						
	OPI County # and County Name						District Name							
02 Big Horn							V	Vyola Ele	ementa	rv				
Vehicle I.D. # (VIN) - Entire Number Model Year						Licen		ryola El	Rated 0		****			
	1GDHG31K1TFS04859			199	96		362			,	22			
Chase	sis Make				Body Mal	(P	302	Bus Type	: (see ? f	or defin				
Onas	SIS Wake				Body Mai				`					
	GMC													
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?									
☐ Ye	es 🗹 No	☐ F	orward	d Fa	cing	☐ Aisl	e Facing 🗹 N	ot Applica	able					
Туре	of Fuel:	Is B	us: 🗸	Distri	ct Owned	d C	ontractor Owned If co	ntractor ow	ned, con	tractor's	name i	s:		
✓ G	as \square Diesel \square Other													
	as Diesei Dittei													
						CTION								
							GHWAY PATROL							
	This	inspect	ion is foi		1s	t semes	ster 🗸 2nd semes	ster						
Dez:	Home lieted in the Orestands	Vac	Appr		I C =	D	Items listed in	tha Ctarri	rdo	lv		roved	C	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	for School Bus			Yes	No	NA **	Corr	
C17	Identification - front					C34	Belt cutter **** attach					+		
C18	Head lamps	†			1	C18	Interior lamps					 	1	
C10	Color					C18	Ceiling - interior							
C18	Turn signal lamps - front					C21	Seating							
C18	Turn signal lamps - side (post 1987)					C14	Floor					1		
C18	Red amber signals - front					C9	Aisle					1		
C18	Marker lamps - front	1				C22 Tools - storage		1						
C18	Windshield					C24	Windows							
C24	Windshield wipers					C13	Warning device							
C20	Exterior mirrors					C13	Buzzer emergency do	or						
C3	Battery					C12	Emergency door							
C4	Generator or alternator					C18	Red amber signals -					<u> </u>		
C11	Service door	ļ				C18	Turn signal lamps - re	ear				—		
C6	Head lamp indicator					C18	Stop lamps							
C6	Horn	 			-	C18	Marker lamps - rear					—	 	
C20	Interior mirror					C19 C17	Strobe light - rear ***							
C6 C2	Speedometer Brakes	1			+	C17	Identification - rear Exhaust system (no le	ooks)				┼──	+	
C21	Driver seat belt					C5	Fuel tank	cans)				 	+	
C7	Steering gear	1			+	C7	Tires (2/32" rear - 4/3	2" front mir	n)			+		
C13	Fire extinguisher (5 lbs)						Cleanliness		,			+	+	
C13	First aid kit	†			1	C22	Stop arm					 	1	
C13	Body fluids kit					C5	No trailer hitch							
C11	Defroster						Required by forest r	egulation:						
C6	Heaters						Shovel (securely fast							
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene							
*Page ni	umber reference, Standards for School Buses in I not apply. ***New buses ordered after 08/15/02.**	Montana	(2002 Edi	tion). al cap	****Bus dri	vers are r	equired to wear lap/should	der belts - cut ag found insi	tter attache	d nearby	driver.			
				حاب	, ,,,,,,									
	st inspection, this bus is:					l	einspection, this bus	IS:						
	Approved						Approved Not Approved							
Not Approved							• •							
-	Inspecting Patrol Officer: Inspecting Patrol Officer:													
Badge		Date					e No			Date _				
Signa	ture of District Official					Date								



Brakes

C13

C13

C11

C6

C20

Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 02 Big Horn **Wyola Elementary** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1BAADCFHXRF057981 1994 489 48 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C18 C6 Marker lamps - rear Horn C20 C19 Strobe light - rear *** Interior mirror C6 Speedometer C17 Identification - rear

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.

Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
-			
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

C4

C22

C5

Exhaust system (no leaks)

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)

Fuel tank

Stop arm

Cleanliness

No trailer hitch

_